








# Glatt vor Rhein

2018 Hauptmessstelle 907

Anforderung: Temp. > 10 °C = max. 0.2 mg NH<sub>4</sub>-N/l  
Temp. < 10 °C = max. 0.4 mg NH<sub>4</sub>-N/l







Mischungstoxizität Wirkstoffgruppen

A, B	5.6	4.2	4.3	4.0	5.5	4.3	2.7	3.8	4.3	4.6	3.9	3.1	3.5	2.8	3.0	3.3	3.5	5.6	6.2	8.4	8.9	9.3	7.9	4.9
H	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.4	0.7	2.8	0.7	0.0	0.0	0.1	0.3	0.8	0.0	0.0	0.1	0.1	0.0	0.0	0.0	
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
INS	0.0	0.0	0.0	0.0	0.0	0.9	1.8	0.1	0.6	4.2	2.1	0.2	0.2	0.2	0.1	0.6	0.2	0.2	0.1	0.1	0.0	0.0	0.0	

Jahresbeurteilung

<b>9.3</b>	Arzneimittel, Biozide, weitere
<b>2.8</b>	Herbizide
<b>0.13</b>	Fungizide
<b>4.2</b>	Insektizide

Mischungstoxizität taxonomische Gruppen

P	0.8	0.7	0.8	0.6	0.9	0.8	0.3	0.9	1.2	1.8	4.1	1.6	0.7	0.9	0.9	1.3	1.6	1.2	1.1	1.1	1.2	1.0	1.0	0.8
I	5.3	3.9	4.0	3.9	5.2	3.9	3.5	5.2	4.1	4.8	8.2	4.7	3.3	2.5	2.6	2.9	3.5	4.9	5.7	8.0	8.4	8.8	7.3	4.5
V	5.0	3.7	3.7	3.6	4.7	3.6	2.4	3.1	3.6	3.8	3.1	2.4	2.9	2.1	2.2	2.5	2.7	4.5	5.2	7.5	7.8	8.4	7.0	4.2

<b>4.1</b>	Pflanzen
<b>8.8</b>	Invertebraten
<b>8.4</b>	Vertebraten