









# Glatt vor Rhein

2019 Hauptmessstelle 907

Anforderung: Temp. > 10 °C = max. 0.2 mg NH<sub>4</sub>-N/l  
Temp. < 10 °C = max. 0.4 mg NH<sub>4</sub>-N/l







Mischungstoxizität Wirkstoffgruppen

A, B	3.9	4.5	3.4	6.6	5.8	5.4	6.0	5.8	4.9	3.0	2.7	3.3	2.9	2.9	2.2	2.8	2.4	3.3	4.0	3.1	2.7	3.3	5.8	5.9	6.1
H	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.6	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
INS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	2.7	4.6	0.2	0.2	1.4	0.3	0	5.0	0.0	4.3	6.2	0.0	0.0	0.0	0.0	0.0	0.0

Jahresbeurteilung

7	Arzneimittel, Biozide, weitere
1	Herbizide
0.0	Fungizide
6	Insektizide

Mischungstoxizität taxonomische Gruppen

P	0.5	0.5	0.7	2.2	1.7	2.0	1.2	0.9	0.9	0.6	0.5	2.1	1.0	0.9	0.7	0.7	0.6	1.0	1.1	0.5	0.5	0.6	2.0	2.0	2.3
I	3.7	4.4	3.2	6.5	5.5	5.1	5.8	6.2	4.9	2.9	2.6	3.1	3.9	2.7	1.9	7.4	2.0	7.1	9.7	2.8	2.4	3.0	5.4	5.6	5.6
V	3.4	4.0	2.7	4.4	4.1	3.5	5.0	5.0	4.2	2.5	2.3	1.9	2.2	2.2	1.6	2.3	1.9	2.8	3.3	2.6	2.3	2.8	3.9	4.0	4.1

2	Pflanzen
10	Invertebraten
5	Vertebraten