








Glatt vor Rhein

2020 Hauptmessstelle 907

Anforderung: Temp. > 10 °C = max. 0.2 mg NH₄-N/l
Temp. < 10 °C = max. 0.4 mg NH₄-N/l






Glatt vor Rhein

2020 - Messstelle 907 (1824 Naduf-Station)

Mikroverunreinigungen in 14-Tages-Mischproben



Mischungstoxizität Wirkstoffgruppen

A, B	4.6	5.1	2.5	3.0	3.4	4.6	3.6	4.0	4.3	4.7	3.4	2.9	1.9	2.6	3.2	2.6	3.5	2.9	4.6	5.7	5.8	3.8	6.4	8.2	4.3	2.7
H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
INS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.4	2.3	0.8	0.0	0.0	0.0	0.0	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.8

Mischungstoxizität taxonomische Gruppen

P	0.7	0.8	0.5	0.4	1.5	1.6	0.7	0.5	1.5	1.7	1.2	0.7	0.7	0.8	0.7	1.0	0.8	1.0	2.1	2.1	0.6	1.8	2.2	1.5	0.4	
I	4.5	5.0	2.4	2.9	3.4	4.3	3.4	3.6	3.8	5.8	5.4	3.3	1.4	2.1	2.8	8.6	3.0	2.4	3.9	5.3	5.4	3.4	5.9	7.7	4.7	5.3
V	3.9	4.4	2.0	2.6	2.0	3.0	3.0	3.5	3.1	3.1	2.4	2.4	1.3	2.0	2.6	2.0	2.8	2.2	3.7	3.7	3.8	3.3	4.6	6.1	2.8	2.4

Jahresbeurteilung

8.2	Arzneimittel, Biozide, ...
0.3	Herbizide
0.0	Fungizide
6.5	Insektizide
2.2	Pflanzen
8.6	Invertebraten
6.1	Vertebraten