








Glatt vor Rhein

2021 Hauptmessstelle 907

Anforderung: Temp. > 10 °C = max. 0.2 mg NH₄-N/l
Temp. < 10 °C = max. 0.4 mg NH₄-N/l






Glatt Rheinsfelden

2021 - Messstelle 907/1824 Messprogramm NAWA mit finanzieller Unterstützung Bafu

Mikroverunreinigungen in 14-Tages-Mischproben



Mischungstoxizität Wirkstoffgruppen

Wirkstoffgruppe	2-3	4-5	6-7	8-9	10-11	12-13	14-15	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-31	32-33	34-35	36-37	38-39	40-41	42-43	44-45	46-47	48-49	50-51	52-1
A, B	3.5	2.3	1.8	2.5	4.5	3.3	4.0	4.1	4.0	3.2	2.3	2.3	2.0	1.2	1.2	1.2	1.4	2.2	3.6	4.5	5.2	5.7	7.2	7.3	1.9	3.6
H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.5	1.0	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
INS	2.7	0.2	0.0	0.0	0.0	0.0	1.1	0.0	0.7	0.0	0.0	5.2	1.3	2.4	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mischungstoxizität taxonomische Gruppen

Taxonomische Gruppe	2-3	4-5	6-7	8-9	10-11	12-13	14-15	16-17	18-19	20-21	22-23	24-25	26-27	28-29	30-31	32-33	34-35	36-37	38-39	40-41	42-43	44-45	46-47	48-49	50-51	52-1
P	0.4	0.3	0.3	0.2	1.1	1.1	1.2	1.3	1.2	1.0	0.4	1.0	1.4	0.9	0.4	0.3	0.1	0.2	1.2	1.3	1.5	1.4	2.3	2.2	0.4	1.3
I	6.1	2.3	1.6	2.5	4.2	3.0	3.8	4.9	3.7	3.6	2.1	7.2	3.1	3.5	1.1	3.1	1.4	2.1	3.2	4.2	4.8	5.3	6.8	6.8	1.9	3.4
V	3.2	2.0	1.5	2.3	3.4	2.2	2.8	2.9	3.0	2.4	1.9	1.8	1.6	1.0	0.9	1.0	1.3	2.0	2.4	3.3	3.7	4.4	5.0	5.1	1.7	2.3

Jahresbeurteilung

- 7.3** Arzneimittel, Biozide, ...
- 1.0** Herbizide
- 0.1** Fungizide
- 5.2** Insektizide
- 2.3** Pflanzen
- 7.2** Invertebraten
- 5.1** Vertebraten